Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<b>S3</b>	1	analog near filter and clock near recovery near unit and parameter with bit near error near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:43
S5	1	analog near filter and clock near recovery near unit and (adjust\$3 or chang\$3 or var\$3) with -parameter\$1	US-PGPUB; USPAT; USOCR; _EPO; JPO;	OR	OFF	2005/03/17 16:21
		VV 3	DERWENT; IBM_TDB			
S6	1	analog near filter and clock near recovery near unit and DFE and FEC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:21
57	1	analog near filter and clock near recovery near unit and decision near feedback near device and forward near error near correct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:23
S8	112	(adjust\$4 or var\$3 or chang\$3) with equalization near parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:24
59	6	(adjust\$4 or var\$3 or chang\$3) with equalization near parameter\$1 and analog near filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:26
510	14	(adjust\$4 or var\$3 or chang\$3) with equalization near parameter\$1 and clock near recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:05
511	106	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:37

Search History 3/29/2005 9:48:14 AM Page 2 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\10054551\_1.wsp

512

S13

S14

515

516

517

S18

S19

Search History 3/29/2005 9:48:14 AM Page 1 C:\Documents and Settings\\wong\My Documents\EAST\\Workspaces\10054551\_1.wsp

S20	1	bit near error near rate with (chang\$3 or adjust\$3) with parameter\$1 and filter with equalizer and PLL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:11
S21	1	FEC with BER and PLL and filter with equalizer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:11
522	2	FEC with BER and PLL and filter with equaliz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:12
S23	2	forward near error near correction same BER and PLL and filter with equalits;3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:16
524	23	equalizer same BER and PLL and filter with equaliz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:18
S27	5	equalizer same (determin\$3 or output\$4 or calculat\$3) with BER and PLL and (low near pass or bandpass or high near pass) near fliter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:23
528	91	(determin\$3 or output\$4 or calculat\$3) with BER and PLL and (low near pass or bandpass or high near pass) near filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:23
S29	33	(determin\$3 or output\$4 or calculat\$3) with BER and PLL and (low near pass or bandpass or high near pass) near filter and clock near recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:24

S36	3	(determin\$3 or output\$4 or calculat\$3) with BER same error near correction and PLL and filter and clock near recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/24 17:29
S37	2	(determin\$3 or output\$4 or calculat\$3) with BER same error near correction and PLL and filter and clock near recovery and BER with (adjus\$3 or chang\$3 or modif\$3) with parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:32
S38	3	(determin\$3 or output\$4 or calculat\$3) with BER same error near correction and PLL and BER with (adjust\$3 or chang\$3 or modif\$3) with parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:33
541	3	(adjust\$3 or updat\$3 or chang\$3 or modif\$3) with equalizat\$3 near parameter\$1 with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/24 17:44
S42	8	(("3990010") or ("5572547") or ("5787118") or ("5374861") or ("EP954126")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:50
546	2	data near5 block\$1 same information with error near correction and (calculat\$3 or measur\$3 or determin\$3) near6 BER with correct\$2 near bit\$1 and (modif\$3 or chang\$3 or adjust\$3) with equalizat\$3 near parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:55
S47	2	data near block\$1 same information with error near correction and (calculat\$3 or measur\$3 or determin\$3) near6 BER with correct\$2 near bit\$1 and (modif\$3 or chang\$3 or adjust\$3) with equalizat\$3 near parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:53
S48	2	data near3 block\$1 same information with error near correction and (calculat\$3 or measur\$3 or determin\$3) near6 BER with correct\$2 near bit\$1 and (modif\$3 or chang\$3 or adjust\$3) with equalizat\$3 near parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:55

US-PGPUB; OR USPAT; USOCR;

OR

OR-

OR

OR

OR

OR

OR

EPO; JPO; DERWENT;

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

IBM\_TD8 US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

IBM\_TDB

OFF

OFF

OFF-

OFF

OFF

OFF

OFF

OFF

2005/03/24 16:26

2005/03/24 16:27

-2005/03/24-16:37

2005/03/24 16:37

2005/03/24 17:04

2005/03/24 17:08

2005/03/24 17:09

2005/03/24 17:09

13 (adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and clock near recovery

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter same clock near recovery and equalizer with error near correction

"(adjust\$3'or chang\$3 or modif\$3)" with equalization near parameter\$1 and filter and clock near recovery and equalizer with error near correction

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter with equalizer

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter with equalizer and clock

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter with equalizer and PLL and voo

(controll\$2 or adaptation) with BER and filter with equalizer and PLL

BER with (chang\$3 or adjust\$3) with parameter\$1 and filter with equalizer and PLL

near recovery

S49	2	data near3 block\$1 same information near (block or section or division or unit or segment) same error near correction and (calculat\$3 or measur\$3 or determin\$3) nears BER with correct\$2 near bit\$1 and (modif\$3 or chang\$3 or adjust\$3) with equalizat\$3 near parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/24 17:54
S50 	2 	data near5 block\$1 same information with error near correction and (calculat\$3 or measur\$3 or determin\$3) near6 BER with correct\$2 near bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:56
551	2	data near5 block\$1 same information with error near correction and (calculat\$3 or measur\$3 or determin\$3) with BER with correct\$2 near bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:55
S52	2	data near5 block\$1 same information with error near correction and (calculat\$3 or measur\$3 or determin\$3) with BER same correct\$2 near bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:55
\$53	13	filter and clock near recovery and FEC with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:56
SS4	1	filter and clock near recovery and FEC with BER and (adjust\$3 or modif\$3 or chang\$3) with equalization near parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:57
S55	5	filter and clock near recovery and FEC with BER and (adjust\$3 or modif\$3 or chang\$3) with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:57
556	6	filter and clock near recovery and FEC with BER and (adjust\$3 or modif\$3 or chang\$3) with parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:32

Search History	3/29/2005 9:48:14 AM	Page 6	
C:\Documents a	and Settings\wong\My Do	ocuments\EAST\Workspaces\10054551_	1.wsp

16 (("20040136731") or ("5,434,883") US-PGPUB; OR or ("5,880,645") or ("6,038,266") or USPAT; USCOR; or ("6,638,8991") or ("6,655,337") DERWENT; DERWENT; DERWENT; DER TOP DERWENT; DER TOP DERWENT; DER TOP DERWENT; DER TOP DERWENT; DERWE

(updat\$3 or modif\$3 or chang\$3) with BER with equalization near parameter\$1

'(updat\$3 or modif\$3 or chang\$3)— with equalization near parameter\$1 same BER

(updat\$3 or modif\$3 or chang\$3) with parameter\$1 same bit near error near rate

(updat\$3 or modif\$3 or chang\$3) with parameter\$1 with bit near error near rate

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and BER with FEC

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and (calculat\$3 or modif\$4 or adjust\$3) with BER and filter

(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and (calculat\$3 or modif\$4 or adjust\$3) with BER

EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

IBM\_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

IBM\_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

OR

OR

OR

OR

OR

OR

OFF

OFF-

OFF

OFF

OFF

OFF

OFF

2005/03/24 18:06

2005/03/24 18:34

2005/03/24 18:34

2005/03/24 18:34

2005/03/24 18:35

2005/03/24 18:40

2005/03/24 18:44

2005/03/24 18:47

S57

560

S61

**S**62

563

**S**65

70

	3/29/2005 9:48:14 AM	
C:\Documents an	d Settings\Iwong\My Do	cuments\EAST\Workspaces\10054551_1.wsp

567	18	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter and FEC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:52
S68	2	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter and FEC and BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:48
S69	6	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 with unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:53
S70	17	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 with control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:55
S71	174	(adjust\$3 or chang\$3 or modif\$3) with equalization near parametes\$1 and filter and clock recovery and equaliz\$3 with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:56
S72	1	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter and clock near recovery and equaliz\$3 with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:56
S74	1	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter and phase near locked near loop and equaliz\$3 with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/24 18:57
575	4	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter and PLL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 19:00

576	4	(adjust\$3 or chang\$3 or modif\$3) with equalization near parameter\$1 and filter and equaliz\$3 with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 18:57
\$79	198	data near stream with information with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:35
\$80	2	data near stream with Information with error near correction and (measur\$3 or calculat\$3) with BER with correct\$2 near bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:36
581	4	data near stream with information with error near correction and (measur\$3 or calculat\$3) with BER with correct\$2 with bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:49
\$83	63	DFE and clock near recovery and FEC and filter and (controll\$2 or adaptation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:50
\$84	33	DFE and clock near recovery and FEC and filter and (controll\$2 or adaptation) and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:55
S85	3	DFE and clock near recovery and FEC and filter and (control\$2 or adaptation) and (adjust\$3 or modif\$3 or chang\$3 or with (parameter\$1 or coefficien\$1) and (upda\$3 or calculat\$3 or measur\$3 or modif\$3 or chang\$3 of adjust\$3) with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/25 09:58
586	57	DFE and (updat\$3 or calculat\$3 or measur\$3 or modif\$3 or chang\$3 of adjust\$3) with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:00

S87	2	DFE and (updat\$3 or calculat\$3 or measur\$3 or modif\$3 or chang\$3 of adjust\$3) with BER and FEC with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:58
S88	5	DFE and (updat\$3 or calculat\$3 or measur\$3 or medif\$3 or chang\$3 of adjust\$3) with BER and FEC same BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:59
S89 -	···6-	DFE and (updat\$3 or calculat\$3 or - measur\$3 or modif\$3 or chang\$3 of adjust\$3) with BER and clock near recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF-	-2005/03/25 10:05
S90	29	DFE and (updat\$3 or calculat\$3 or measur\$3 or modif\$3 or chang\$3 of adjust\$3) with BER and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:05
S91	12	DFE and (updat\$3 or calculat\$3 or measur\$3 or modif\$3 or chang\$3 of adjust\$3) with BER and filter and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:18
S92	38	DFE with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:26
593	6	DFE with BER and (adjust\$3 or modif\$3) with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:19
594	1	DFE with BER and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:27

ŀ	1		IBM_TDB		ł	
598	1	filter and equalizer same threshold same clock near recovery same FEC same feedback same (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:09
	-1-	-filter and equalizer same threshold - same clock near recovery same feedback same (adjusts3 or modifs3 or chang\$3) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	-OR	OFF -	-2005/03/25 13:09
510 0	1	filter and equalizer same threshold same clock near recovery same feedback AND (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:09
510 1	303	filter and threshold and clock near recovery and feedback and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:10
\$10 2	59	filter and threshold and clock near recovery and feedback and FEC and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:10
510 3	21	filter and threshold and clock near recovery and feedback and FEC and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:10
510 7	21	filter and threshold and clock near recovery and feedback and (FEC) and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:15

US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM\_TDB

OFF

2005/03/25 13:07

12 DFE with BER and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1)

595

5

Search History 3/29/2005 9:48:14 AM Page 9 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\10054551\_1.wsp

Search History 3/29/2005 9:48:14 AM Page 10 C:\Documents\EAST\Workspaces\10054551\_1.wsp

S10 8	14	filter with threshold and clock near recovery and feedback and (FEC) and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:21
511 2	6	filter with threshold and ((adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) with bit near error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:40
S11 3	3	filter with threshold and (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficien\$1) and (error near correction) with (bit near error near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:43
\$11 5	84	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (FEC) with (bit near error near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:18
\$11 6	8	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (FEC) with (bit near error near rate) and clock near recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:12
S11 8	4	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (FEC) with (bit near error near rate) and analog near filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:47
S11 9	2	(continu\$5 or iterat\$5) with (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (FEC) with (bit near error near rate) and clock near recovery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:13
512 0	11	(continu\$5 or iterat\$5) with (adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) with BER	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:13

512 1	1	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and FEC and (clock near recovery near unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:21
\$12 2	1	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and FEC and (clock near recovery near (unit or section or component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:21
512 3	96	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and FEC and (clock near recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:24
512 4	28	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and FEC and (clock near recovery) with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:24
512 5		(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and FEC same BER and (clock near recovery) with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:25
\$12 8	48	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:26
S13 2	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and data near stream with block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:30
S13 3	15	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and data near block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:34

	S13 4	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and information near section and error near2 section	US-PGPU8; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/25 15:34
-	\$13 5	8	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and data near stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:34
	\$13 6	4	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and data near stream same block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:35
	\$13 8	1	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table same (previous or past) with bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:36
	513 9	4	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and (previous or past) with bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:37
	514 0	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with look near1 up near table and data with block\$1 with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:37
	S14 1	4	(edjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or ocefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with (memory or shift near register\$1 with history or look near1 up near table) and data with block\$1 with error near correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:42
	S14 2		(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with (memory or shift near register\$1 with history or look near1 up near table) and data with block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:44

Search History 3/29/2005 9:49:14 AM Page 13 C:\Documents\EAST\Workspaces\10054551\_1.wsp

S15 1	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and information near section with error near correction near section	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:01
S15 2	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and information near section with error near4 section	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:01
\$15	1	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and look near1 up near table with (previous or past) near7 bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:02
515 4	1	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and look near1 up near table with (previous or past) with bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:0
S15 5	1	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and look near1 up near table same (previous or past) with bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:03
S15 6	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and look near1 up near table with (adjust\$3 or modif\$4 or chang\$3) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:00
\$15 7	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and look near1 up near table with (adjust\$3 or modif\$4 or chang\$3) with (threshold or maximum or minimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/25 16:04
S15 8	3	(adjusts3 or modifs3 or chang\$3) with (parameter\$1 or operficient\$1) and data near stream with data near block\$1 and look near1 up near table with (adjust\$3 or modifs4 or chang\$3) with (threshold or maximum or minimum or max)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:09

\$14 3	11	(adjust3 or modif3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with (memory or shift near register\$1 with history or look near1 up near table) and data near stream with data with block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/25 15:44
514	11	with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with (memory or shift near register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/03/25 15:52
		with history or look near1 up near table) and data near stream with block\$1	IBM_TDB			
S14 5	12	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (adjust\$3 or modif\$3 or variable) with threshold with (memory or shift near register\$1 with history or look near1 up near table) and signal with samp\$4 with block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:55
\$14 7	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or ocerflicint\$1) and (adjust\$3 or modif\$3 or variable) with threshold with (memory or shift near register\$1 with history or look near1 up near table) and signal with sampt\$4 with data near4 bloct\$1	US-PGPU8; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/25 15:58
S14 8	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 with error near correction with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:59
S14 9	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 same error near correction with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2005/03/25 16:00
S15 0	206	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR ,	OFF	2005/03/25 16:00

Searth History 3/29/2005 9:48:14 AM Page 14 C:\Documents and Settings\\wong\My Documents\EAST\\Workspaces\10054551\_1.wsp

S15 9	8	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near stream with data near block\$1 and (memory or look near1 up near table) with (adjust\$3 or modif\$4 or chang\$3) with (threshold or maximum or minimum or max)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:28
516 0	64	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near packet and (memory or look near1 up near table) with (adjust\$3 or modif\$4 or chang\$3) with (threshold or maximum or minimum or max)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:36
516 3	49151	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near packet and (memory or look near1 up near table) with (adjust\$3 or modif\$4 or chang\$3) with (threshold or maximum or max) and (previous or past) with bit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:30
516 4	11	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near packet and (memory or look near1 up near table) with (adjust\$3 or modif\$4 or chang\$3) with (threshold or maximum or minimum or max) and (previous or past) with bit\$1	US-PGPU8; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:30
516 5	12	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and data near packet and (memory or look near1 up near table) with (adjust\$3 or modif\$4 or chang\$3) near6 (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:47
S16 6	361	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and threshold near filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:47
516 8	5	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and threshold near filter and threshold with look near1 up near table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:02

545		Ta at 100				
S16 9	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with amount with direction with (adjust\$3 or modif\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:05
\$17 0	32	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with (adjust\$3 or modif\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:07
517 4	13	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with (adjust\$3 or modif\$3) with threshold) and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:14
\$17 5	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (book near1 up near table with (amount with direction) with (adjust\$3 or modif\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:14
S17 6	S	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with (amount with direction) with (adjust\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:15
S17 7	3	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with (amount with direction) with (threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:15
S17 8	4	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with (amount with direction) same (threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:18
S17 9	6	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (book near1 up near table with (amount with direction) and (threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:18

Search History 3/29/2005 9:48:14 AM Page 17
C:\Documents and Settings\wong\My Documents\EAST\Workspaces\10054551\_1.wsp

519 4	137	equalizerand (look near1 up near table or memory or storage) with (amount) with (changes or adjustments or shifts) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:48
S19 5	4	equalizer and (look near1 up near table or memory or storage) with (amount) with (changes or adjustments or shifts) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:48
519 6	1089	(375/233)*.CCLS* and look near1 up near table with (amount) with (changes or adjustments or shifts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:50
519 7	1089	(375/233)".CCL5" and look near1 up near table with (amount) with (changes or adjustments or shifts) with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:51
520 1	5	(375/233).CCLS, and (look near1 up near table or memory or storage) with (changes or adjustments or shirts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:51

S18 0	2	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table with (amount with direction) with (parameter\$1 or coefficient\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:19
S18 1	57	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table or memory) with (amount with direction) with (parameter\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:19
518	2"	(ādjūšt\$3' or 'modif\$3' or 'chang\$3) — with (parameter\$1 or coefficient\$1) and (look near1 up near table or memory) with (amount with direction) with (parameter\$1 or coefficient\$1) with (adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR:	OFF	-2005/03/25-17:19
S18 5	26	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table or memory) with (amount with direction) with (parameter\$1 or coefficient\$1) and (filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:20
S18 6	8	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table or memory) with (amount with direction) with (adjustment or shifting with (taps or delays)) and (fitter)	US-PGPU8; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:21
518 7	14	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table or memory) with (amount with direction) with (adjustment or shifting with (taps or delays))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:20
S18 8	2	equalization near parameter\$1 and filter and look near1 up near table with (adjustment\$1 or shift\$1 with (taps or delays))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:43
S18 9	2	equalization near parameter\$1 and filter and look near1 up near table same (adjustment\$1 or shift\$1 with (taps or delays))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR `	OFF	2005/03/25 17:44

Search History 3/29/2005 9:48:14 AM Page 18 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\10054551\_1.wsp

Ref #	Hits	Search Query	08s	Default Operator	Plurals	Time Stamp
LZ	13	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (lookup near table or memory) same (adjust\$4 or modif\$3 or chang\$3 or offset) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:06
L3	16	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parametes\$1) or coefficient\$1) and (lookup near table or memory or stor\$3) same '(adjust\$4 or modif\$3 or chang\$3 or offset) with threshold	USOCR; EPO; JPO;	OR	OFF	2005/03/29 17:08
L4	9	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) with (lookup near table or memory or stor\$3) and (adjust\$4 or modif\$3 or chang\$3 or offset) with threshold with (lookup near table or memory or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:12
15	81	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) with (lookup near table or memory or stor\$3) with (adjust\$4 or modif\$3 or chang\$3 or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/03/29 17:12
L9	9	equalization near (parameters or coefficients) and (look near up near table or storage or memory) with adjustment near (amount or factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:37
L12	6	equalization near (parameters or coefficients) and (look near up near table or storage or memory) with (filter) with (amount or factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:43
L13	3	analog near filter with (look near up near table or memory or storage) with (amount or increa\$4 or decre\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:44
L14	12	(adjust\$4 or threshold or analog) near filter with (look near up near table or memory or storage) with (amount or increa\$4 or decre\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:46

Search History 3/29/2005 5:52:02 PM Page 1 C:\Documents and Settings\wong\My Documents\EAST\Workspaces\10054551\_1.wsp

S19 6	1089	(375/233)*.CCLS* and look near1 up near table with (amount) with (changes or adjustments or shifts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:50
S19 7	1089	(375/233)*.CCLS* and look near1 up near table with (amount) with (changes or adjustments or shifts) with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:51
520 1	5	(375/233).CCLS. and (look near1 up near table or memory or storage) with (changes or adjustments or shifts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:51
S20 2	14	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near1 up near table or menory) with (amount with direction) with (adjustment or shifting with (taps or delays))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:04
520 3	101	(adjust\$3 or modif\$3 or chang\$3) with (parameter\$1 or coefficient\$1) and (look near up near table or memory) with (Increas\$4 with decre\$4) with amount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:10
520 4	28	S203 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:09
520 8	15	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (look near up near table or memory) with (taps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:59
520 9	155	(adaptive near filter) and (look near up near table or memory) with (taps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:47

L15	1	equalizs?7 and (adjusts4 or threshold or analog) near filter with (look near up near table or memory or storage) with (amount or increas4 or decres4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:47
L17	137	(adjust\$4 or threshold or analog or controt\$4) near3 filter with (look near up near table or memory or storage) with (amount or increa\$4 or decre\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:48
L18-	99-	'(adjust\$4 or threshold or analog or controt\$4) near2 filter with (look near up near table or memory or storage) with (amount or increa\$4 or decre\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	·OFF-	2005/03/29 17:48
L19	6	(adjust\$4 or threshold or analog or control\$4) near2 filter with (look near up near table or memory or storage) with (amount or increa\$4 or decre\$4) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:50
S19 2	4	equalizer and filter and (look near) up near table or memory or storage) with (amount) with (changes or adjustments or shifts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:47
S19 3	2	equalizer and filter and (look near) up near table or memory or storage) with (amount) with (changes or adjustments or shifts) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:48
519 4	137	equalizerand (look near1 up near table or memory or storage) with (amount) with (changes or adjustments or shifts) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:48
S19 5	4	equalizer and (look near1 up near table or memory or storage) with (amount) with (changes or adjustments or shifts) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 17:48

Search History 3/29/2005 5:52:02 PM Page 2 C:\Documents and Settings\\wong\\My Documents\EAST\\Workspaces\\10054551\_1.wsp

S21 0	61	(adaptive near filter) and (look near up near table or memory) with (taps) and shift near register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:47
521	5	(adaptive near filter) and (book near up near table or memory) with (taps) and shift near register and FEC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 14:47
S21 5	124	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (look near up near table or memory) with (adjust\$4 or modif\$4 or chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 15:02
521 6	10	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (look near up near table or memory) with (adjust\$4 or modif\$4 or chang\$4) with amount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 15:21
521 7	17	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (look near up near table or memory) same (adjust\$4 or modif\$4 or chang\$4) with amount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 15:26
521 8	49	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (look near up near table or memory) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 15:32
S21 9	16	(adjust\$3 or modif\$3 or chang\$3) with equalization with (parameter\$1 or coefficient\$1) and (look near up near table or memory) same (adjust\$4 or modif\$3 or chang\$3 or offset) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:04